

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application.

1. (currently amended) A package for containers such as bottles or cans, folded from sheet material, comprising a bottom panel, a first side panel, and a second side panel, ~~connected thereto via diametrically opposed first fold lines and a first and second upper flap[,,] and a second upper flap, the first and second side panels being connected to the bottom panel via diametrically opposed first fold lines, the first and second upper flaps being connected to the~~ respective first and second side panels via a second fold line ~~respective side panels via a second and a third fold line, respectively, wherein the first upper flap is located on the second upper flap and at least two openings are provided in the first upper flap through which fingers can be inserted for lifting said package, and the second upper flap extends at least between said openings, wherein while, at the location of the second and third fold line over at least one part of the said second and third fold line at least two layers of sheet material are provided, on, and/or on both sides of, at least one part of each of said second and third fold line lines such that an upper longitudinal edge of at least one of the containers abuts, during use, against the innermost of said at least two layers of sheet material are provided such that, during use, an upper longitudinal edge of a container located within the package abuts against an innermost of said two layers of sheet material on or adjacent the second fold line or against an innermost of said two layers of sheet material on or adjacent the third fold line.~~

2. (original) A package according to claim 1, wherein, on the side opposite the second fold line, the first upper flap is connected via a fourth fold line to a first support flap which is located against the second side panel and the second upper flap is connected via a fifth fold line to a second support flap which is located against the first side panel.

3. (original) A package according to claim 2, wherein the first support flap has been fastened against the outside of the second side panel.

4. (previously presented) A package according to claim 2, wherein the second and fourth fold lines and the third and fifth fold line lie virtually over each other.

5. (previously presented) A package according to claim 1, wherein each side panel, on two

opposite sides, is provided with a closing flap connected thereto via a sixth fold line, wherein the closing flaps on each side of the package jointly have a width which is at least equal to the width of the bottom panel.

6. (previously presented) A package according to claim 1, wherein, via seventh fold lines extending at right angles to the first fold lines, two support closing flaps are connected to oppositely located sides of the bottom panel.

7. (previously presented) A package according to claim 5, wherein, via a corner flap, each closing flap is connected to a support closing flap.

8. (original) A package according to claim 7, wherein on both sides of the package, two closing flaps abut against a support closing flap, the relevant corner flaps being confined between the respective closing flaps and the support closing flaps.

9. (currently amended) A package according to claim 8, wherein the closing flaps are fastened; ~~in particular glued,~~ against the corner flaps.

10. (previously presented) A package according to claim 5, wherein the lower edge of the closing flaps runs approximately parallel to the bottom panel.

11. (previously presented) A package according to claim 5, wherein the closing flaps on both sides of the package overlap, at least partly.

12. (previously presented) A package according to claim 1, wherein, on two opposite sides, the first upper flap is connected via an eighth fold line to an upper closing flap, which upper closing flaps are fastened to the closing flaps and/or the side panels or glue flaps connected thereto.

13. (previously presented) A package according to claim 1, wherein in the first upper flap, tear lines are provided extending from near an opening in a direction remote from the other opening, while, each time, between two tear lines a tear tab is provided extending in the direction of a longitudinal edge of the first upper flap.

14. (original) A package according to claim 13, wherein the second upper flap extends

substantially not below the or each tear tab.

15. (currently amended) A package according to claim 1, wherein at least two rows are provided of each at least three containers, which rows extend parallel to side panels and wherein at least one ~~and preferably each~~ container between a first and last container in a row abuts against the inside of said double layer of sheet material.

16. (previously presented) A package according to claim 1, wherein each side panel comprises a lower panel part and an upper panel part connected thereto via an eleventh fold line, said upper panel parts slightly inclining towards each other such that the upper side of the package is narrower than the bottom panel.

17. (currently amended) A package according to claim 1, wherein the package is manufactured from cardboard with a specific weight of less than 380 gr/m^2 , ~~in particular less than 320 gr/m^2 , more in particular less than 280 gr/m^2 .~~

18. (currently amended) A package according to claim 17, wherein the cardboard has a specific weight of 250 gr/m^2 , ~~in particular less than 225 gr/m^2 , more in particular 200 gr/m^2 and preferably 180 gr/m^2 or less.~~

19. (previously presented) A blank for forming a package according to claim 1, comprising:

- a bottom panel
- a first and second side panel, connected to the bottom panel via first fold lines extending substantially parallel to each other;
- a first and second upper flap, connected to the first and second side panel, respectively, via a second and third fold line, respectively, extending approximately parallel to the first fold line;
- wherein in the first upper flap at least two openings are provided for allowing the passage of fingers, and the second upper surface has a width and form such that it can lie on or below the first upper surface, substantially between said two openings.

20. (original) A blank according to claim 19, wherein, on the side located opposite the second fold line, the first upper flap is connected, via a fourth fold line, to a first support flap and/or the second upper flap is connected on the side located opposite the third fold line via a fifth fold line

to a second support flap, the distance between the second and fourth fold line being virtually equal to the distance between the third and fifth fold line.

21. (currently amended) A blank according to claim 19, wherein:

- each side panel on two opposite sides, via a sixth fold line extending approximately at right angles to the first fold lines, is connected to a closing flap, while two closing flaps, cooperating when the package is set-up, have a joint width which is at least equal to the corresponding width of the bottom panel;
- on two opposite sides of the bottom panel, via a seventh fold line extending approximately at right angles to the first fold lines, a support closing flap is connected;
- via a ninth fold line, each closing flap is connected to a corner flap, which corner flap is connected, via a tenth fold line, to a support closing flap, while each respective ninth and tenth fold line intersect in a corner of the bottom panel and, mutually, include an angle of less than 90 degrees, ~~more in particular less than 60 degrees.~~

22. (currently amended) A blank according to claim 19, wherein each side panel comprises an eighth fold line, approximately parallel to the first fold lines, which divides the respective side panel in a bottom and a top side panel, while the upper side panel is approximately trapezoid-shaped and the closing flaps each comprise at least an eleventh fold line, at least folding element, approximately at the location of the eighth fold line, while, ~~preferably,~~ a recess is provided in each closing flap, at the location of the intersection between the sixth fold line and the eighth fold line.

23. (currently amended) A blank according to claim 19, wherein one of the upper flaps, ~~in particular the first upper flap~~ is connected in two opposite sides via a twelfth fold line, to an upper sidewall flap, ~~in particular a slightly trapezoid-shaped upper sidewall flap~~ with a length, at right angles to the twelfth fold line, which approximately corresponds to the length of the sixth fold line between the second or third fold line and the adjoining eighth fold line.

24. (currently amended) A blank according to claim 19, wherein the blank is manufactured from cardboard, ~~in particular solid cardboard~~ with a specific weight of less than 380 gr/m^2 , ~~in particular less than 320 gr/m^2 , more in particular less than 280 gr/m^2 .~~

25. (currently amended) A blank according to claim 24, wherein the cardboard has a specific

weight of 250 gr/m², ~~in particular less than 225 gr/m², more in particular 200 gr/m² and preferably 180 gr/m² or less.~~

26-27. (cancelled)